

US DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTORNEY'S DOCKET NUMBER FORM PTO-1390 (REV. 11-2000) P/63010-PCT TRANSMITTAL LETTER TO THE UNITED STATES U.S. APPLICATION DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371 PRIORITY DATE CLAIMED INTERNATIONAL FILING DATE INTERNATIONAL APPLICATION NO. September 14, 1999 September 12, 2000 PCT/IB00/01366 TITLE OF INVENTION **BALUN** APPLICANT(S) FOR DO/EO/US Hardial GILL Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: X This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This is an express request to begin national examination procedures (35 U.S.C. 371 (f)). The submission must include items (5), (6), (9) and (21) indicated below. The US has been elected by the expiration of 19 months from the priority date (Article 31). 5. X A copy of the International Application as filed (35 U.S.C. 371(c)(2)) is attached hereto (required only if not communicated by the International Bureau). has been communicated by the International Bureau. is not required, as the application was filed in the United States Receiving Office (RO/US). 6. An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). is attached hereto. has been previously submitted under 35 U.S.C. 154(d)(4). 7. X Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)). are attached hereto (required only if not communicated by the International Bureau). have been communicated by the International Bureau. c. X have not been made; however, the time limit for making such amendments has NOT expired. have not been made and will not be made. An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11 to 20 below concern document(s) or information included: An Information Disclosure Statement under 37 CFR 1.97 and 1.98. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. A substitute specification. 15. A change of power of attorney and/or address letter. 16. A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 17. A second copy of the published international application under 35 U.S.C. 154(d)(4). 18. A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. X Other items or information: Receipt Acknowledgement Postcard

Ç.

ACID PERPENDIO 1 4 MAR 2002

U.S. APPLICATED NO (1f known	87836 5	INTERNATIONAL APPLICATION NO PCT/IB00/01366	ATTORNEY'S DOCKET NUMBER P/63010-PCT			
21. X The followin		CALCULATIONS PTO USE ONLY				
BASIC NATIONAL FE	EE (37 CFR 1.492 (a) (1) - (5)) :				
Neither international p	reliminary examinatio	n fee (37 CFR 1.482)				
nor international searc and International Sear	th fee (37 CFR 1.445(a	by the EPO or JPO	\$1,040.00			
International prelimina	ary examination fee (3	7 CFR 1.482) not paid to pared by the EPO or JPO				
International prelimina but international searc	ary examination fee (3 h fee (37 CFR 1.445(a	7 CFR 1.482) not paid to USP (2)) paid to USPTO	ГО \$740.00			
International preliming but all claims did not	ary examination fee (3 satisfy provisions of Po	7 CFR 1.482) paid to USPTO CT Article 33(1)-(4)	\$710.00			
and all claims satisfied	d provisions of PCT A	7 CFR 1.482) paid to USPTO rticle 33(1)-(4)				
	ENTER APPRO	PRIATE BASIC FEE A	MOUNT =	\$890.00		
Surcharge of \$130.00 months from the earli	for furnishing the oath	n or declaration later than te (37 CFR 1.492 (e)).	20 🔲 30	\$0.00		
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$		
Total claims	2 - 20 =	0	x \$18.00	\$0.00		
Independent claims	1 - 3 =	0	x \$84.00	\$0.00		
	DENT CLAIM(S) (if a	pplicable)	+ \$280.00	\$0.00		
	TOTA	L OF ABOVE CALCU	LATIONS =	\$890.00		
Applicant clai		See 37 CFR 1.27. The fees in	ndicated above	\$0.00		
are reduced by	BTOTAL =	\$890.00				
Processing fee of \$130 months from the earli	20 30	\$0.00				
months from the carr	\$890.00					
Fee for recording the	enclosed assignment (TOTAL NATIO (37 CFR 1.21 (h)). The assignm (37 CFR 3.28, 3.31). \$40.00 p	ment must be	\$0.00		
accompanied by an a	ppropriate cover sinces	TOTAL FEES EN	ICLOSED =	\$890.00		
		1011121222		Amount to be refunded:	\$	
				charged:	\$	
b. X The Com	nmissioner is hereby au nent to Deposit Accou	.00 to cover the above fees is enthorized to charge any addition nt No. 11-1145	nal fees which may	be required, or crec . A duplicate co	dit any py of this sheet is	
NOTE: Where an a 1.137 (a) or (b)) mu SEND ALL CORRES	ist be filed and grante	t under 37 CFR 1.494 or 1.49 d to restore the application t	o pending status.	Ca pres	ive (37 CFR	
TARROSTOMM	OPPENDED FOR A	EL & SCHIFFMILLED DC	SIGNAT	UKE. /		
KIRSCHSTEIN 489 Fifth Avenu		EL & SCHIFFMILLER, P.C.	<u>Alan Isr</u>	rael		
New York, New						
(212) 697-3750		27,564	A THOMAN IN THE			
I hereby certify that this Service as Express Mail Box: PCT, Commission	No FL 337 911 958 US in	leposited with the U.S. Postal an envelope addressed to: rks, Washington, D.C., 20231, ord	REGISTE	RATION NUMBER		
March 14, 2002	Alan Is	rael Reg. No. 27,566	/			
(date)		, ucia , v				

Docket No.: P/63010

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as Express Mail No. <u>EL 337912 525 US</u> in an envelope addressed to. Box PCT, Commissioner of Patents and Trademarks, Washington, D.C., 20231, on:

July 11, 2002

(date)

Alan Israel

Reg No 27,564

International Application No.:

PCT/IB00/01366

International Filing Date

September 12, 2000

In re: Application of

Hardial GILL

Serial No.

10/088,365

Deposited

March 14, 2002

For

BALUN

New York, New York July 11, 2002

PRELIMINARY AMENDMENT

BOX: PCT

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Sir:

Prior to calculation of the filing fee and before examination, kindly amend the above captioned application as follows:

IN THE CLAIMS:

Please cancel claims 1-2, without prejudice.

Please add the new set of claims 3-4 set forth on the enclosed pages.

IN THE ABSTRACT:

Delete the "Abstract" on the PCT cover sheet and replace it with the "Abstract of the Disclosure" set forth on a separate sheet attached hereto.

REMARKS

An abstract has been provided on a separate sheet; and the claims have been amended to conform to U.S. practice.

Accompanying this communication is a literal English translation of the above identified application, and the fee of \$130.00 as set forth under 37 C.F.R. §1.492(f). The undersigned attorney asks that the English translation be used as the copy for examination purposes as required under 37 C.F.R. §1.52.

If there are any additional charges, or any overpayment, in connection with the filing of this Communication, the Commissioner is hereby authorized to charge any such deficiency, or credit any such overpayment, to Deposit Account No. 11-1145.

Wherefore, an early action on the merits is earnestly solicited.

Respectfully submitted,

KIRSCHSTEIN, OTTINGER, ISRAEL & SCHIFFMILLER, P.C.

Attorneys for Applicant(s)

489 Fifth Avenue

New York, New York 10017-6105

Tel: (212) 697-3750

Fax: (212) 949-1690

Alan Israel

Registration No. 27,564

ABSTRACT OF THE DISCLOSURE

A balun, which takes up very little space and which is economical to produce, consists of four interconnected planar lines. One end of a first line is configured as a first symmetrical terminal. The other end of the first line is connected to the adjacent end of the second adjacent line. The end of the second line that is connected to the first line forms an unsymmetrical terminal, while the other end of the second line is connected to ground. The end of the third line, which is adjacent to the second line, is connected to ground, this end being adjacent to the unsymmetrical terminal. The other end of the third line serves as a second symmetrical terminal. The end of the fourth line that is adjacent to the second symmetrical terminal is connected to ground, the other end being connected to the end of the second line that forms the unsymmetrical terminal.



NEW CLAIMS

- 3. A balun, comprising: four coupled planar lines running next to each other; one end of a first of the lines serving as a first balanced connection gate; the other end of the first line being connected to one end of a second of the lines adjacent to the other end of the first line; the one end of the second line being connected to the first line and serving as an unbalanced connection gate; the other end of the second line being connected to ground; one end of a third of the lines lying next to the unbalanced connection gate and being connected to ground; the other end of the third line serving as a second balanced connection gate; one end of a fourth of the lines lying next to the second balanced connection gate and being connected to ground; and the other end of the fourth line being connected to the one end of the second line forming the unbalanced connection gate.
- 4. The balun according to claim 3, wherein the four lines have a coupling length which corresponds to roughly one-quarter of an average operating wavelength of the balun.

TCA Translation



Balun

Prior art

The present invention concerns a balun, consisting of four coupled planar lines running next to each other, with an unbalanced connection gate and two balanced connection gates.

Baluns are known to be transitions between balanced and unbalanced transmission lines. A balanced line exists when a signal being transmitted over it does not have ground as reference potential. On the other hand, an unbalanced transmission line is connected on one side to ground, so that a signal being transmitted over it has ground as reference potential. Baluns of this type are used, for example, at the inputs and outputs of quadruplex mixers or amplifiers or modulators, etc.

The balun just mentioned, consisting of four planar lines connected to each other, is known from DE 197 29 761 A1. This balun consists of two 3 dB couplers, each of which consist of two planar lines coupled over a length of $\lambda/4$. Each of the two couplers is designed in the form of a two-pole band pass filter, in which one is configured in an open circuit configuration and the other in a short circuit configuration. The two quarter-wavelength couplers are connected to each other so that a three-gate balun is produced, having one connection for unbalanced signals and two connections for balanced signals. The opposite ends of the two lines in the line coupler in the open circuit configuration are at no-load. Another end of the two lines serves as balanced connection. The opposite end of the other line is connected to one end of one of the two line couplers designed in the short circuit configuration. Two opposite ends of the two lines are contacted with ground from this line coupler, and another end of a line forms an additional connection for balanced signals. The two line ends of the two line couplers connected to each other form the connection gate for unbalanced signals. In order to achieve a narrow 3 dB coupling between the lines, the balun is designed in multilayer technology. The manufacturing cost is therefore high, which is unfavorable for mass production.

Task and Solution of the Invention

TCA Translation

The underlying task of the invention is to provide a space-saving balun that is as simple as possible to manufacture.

This type of balun is constructed as follows according to the features of Claim 1. One end of a first of four lines serves as a first balanced connection gate. The other end of this first line is connected to the end of the second line adjacent to it. The end of the second line connected to the first line forms the unbalanced connection gate, and the other end of the second line lies at ground potential. The end of the third line lying next to the unbalanced connection gate adjacent to the second line is contacted with ground, and the other end of the third line serves as second balanced connection gate. The end of the fourth line lying next to the second balanced connection gate adjacent to the third line is contacted with ground, and the other end of the fourth line is connected to the end of the second line forming the unbalanced connection gate.

According to a subclaim, the coupling length of the four lines corresponds to roughly one-fourth the average operating wavelength of the balun.

Description of a Practical Example

The invention is further explained below with reference to a practical example depicted in the drawing:

The balun depicted in the drawing consists of four planar lines 1, 2, 3 and 4 running next to each other. The line length, over which the lines 1, 2, 3 and 4 are coupled to each other, amounts to about one-fourth of the average operating wavelength of the balun.

One end of the first line 1 is designed as connection gate 5 for the balanced signal. The other end of the first line 1 is connected conducting to the end of the second line 2 adjacent to it via an air bridge 6. The same end of the second line 2 is designed as connection gate 7 for unbalanced signals. The end of the second line 2 opposite this connection gate 7 is contacted with ground 8. The short-circuit to ground is accomplished in known fashion by means of contacting in the

substrate carrying the planar lines 1, 2, 3, 4 to a ground surface applied to the bottom of the substrate.

The end of the third line 3, adjacent to the ground short-circuit 8 of the second line 2 from the third line 3 running next to the second line 2, is designed as a second balanced connection gate 9. The end of the third line 3 opposite this connection gate 9 is provided with a ground connection 10.

The end of the fourth line 4 adjacent to the connection gate 9 of the third line 3 is also provided with a ground contact 11. The end of the fourth line 4 opposite this ground contact 11 is connected to the end of the second line 2 via an air gap 12, which is designed as an unbalanced connection gate 7.

Deviating from the practical example depicted in the drawing, the two ends of lines 2 and 4 lying at ground potential can be contacted with each other via an air gap. One of the two contacts 8, 11 can then be saved for the ground line.


Claims

- 1. Balun, consisting of four coupled planar lines (1, 2, 3, 4) running next to each other, with an unbalanced connection gate (7) and two balanced connection gates (5, 9), characterized by the fact
- that one end of a first one of the four lines serves as a first balanced connection gate (5),
- that the other end of this first line (1) is connected to the end of the second line (2) adjacent to it,
- that this end of the second line (2) connected to the first line (1) forms the unbalanced connection gate (7) and the other end of the second line (2) lies at ground potential (8),
- that, from the third line (3) adjacent to the second line (2), the end lying next to the unbalanced connection gate (7) lies at ground potential (10) and the other end serves as second balanced connection gate (9),
- and that the end of the fourth line (4) adjacent to the third line (3), lying next to the second balanced connection gate (9) lies at ground potential (11) and the other end is connected to the end of the second line (2) forming the unbalanced connection gate (7).
- 2. Balun according to Claim 1, characterized by the fact that the coupling length of the four lines (1, 2, 3, 4) corresponds to roughly one-quarter of the average operating wavelength of the balun.

РСТ/ІВ00/01366

WO 01/20708

1 / 1



(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT) VERÓFFENTLICHTE INTERNATIONALE ANMELDUNG

(19) Weltorganisation für geistiges Eigentum Internationales Büro



(43) Internationales Veröffentlichungsdatum 22. März 2001 (22.03.2001)

PCT

(10) Internationale Veröffentlichungsnummer WO 01/20708 A1

(51) Internationale Patentklassifikation7:

H01P 5/10

(21) Internationales Aktenzeichen:

PCT/IB00/01366

(22) Internationales Anmeldedatum:

12. September 2000 (12.09.2000)

(25) Einreichungssprache:

Deutsch

(26) Veröffentlichungssprache:

Deutsch

(30) Angaben zur Priorität:

199 43 955.9

34. September 1999 (14,09,1999)

(71) Anmelder (für alle Bestimmungsstaaten mit Ausnahme von US); MARCONI COMMUNICATIONS GMBH [DE/DE]; Gerberstrasse 33. D-71522 Backnang (DE)

(72) Erfinder; und

(75) Erfinder/Anmelder (nur fiv US): GILL, Hardial [GB/DE]; Elly-Houss-Knapp-Weg 38/3, 71522 Backnang (DE).


(74) Anwalt: CAMP, Ronald; Marconi Intellectual Property. Waterhouse Lane, Chel nsford, Essex CM1 2QX (GB)

(81) Bestimmungsstaaten (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU,

["ortsetzung auf der nächsten Seue]

(\$4) Title: BALUN

(54) Bezeichnung: SYMMETRIERGLIED



(57) Abstract: The invention relates to a balun which takes up very little space and which is economical to produce. Said balun consists of four interconnected planar lines (1, 2, 3, 4). One end of a first line (1) is configured as a first symmetrical terminal (5) The other end of said first line (1) is connected to the adjacent end of the second adjacent line (2). The end of the second line (2) that is connected to the first line (1) forms an unsymmetrical terminal (7), while the other end of the second line (2) is connected to earth (8). The end of the third line (3), which is adjacent to the second line (2), is connected to earth (10), said end being adjacent to the unsymmetrical terminal (7). The other end of said third line serves as a second symmetrical terminal (9). The end of the fourth line (4) that is adjacent to the second symmetrical terminal (9) is connected to earth (11), the other end being connected to the end of the second line (2) that forms the unsymmetrical terminal (7).

(57) Zusammenfassung: Ein sehr platzsparendes und mit geringern Aufwand herstellbares Symmetrierglied besteht aus vier miteinander gekoppelten planaren Leitungen (1, 2, 3, 4). Dabei ist ein Ende einer ersten Leitung (1) als erstes symmetrisches Anschlusstor (5) ausgebildet. Das andere Ende dieser ersten Leitung (1) ist mit dem danebenliegenden Ende der zweiten benachbarten Leitung (2) verbunden. Das mit der ersten Leitung (1) verbundene Ende der zweiten Leitung (2) bildet ein unsymmetrisches Anschlusstor (7), und das andere Ende der zweiten Leitung (2) ist mit Masse (8) kontaktiert. Von der der zweiten Leitung (2) benachbarten dritten Leining (3) ist das neben dem unsymmetrischen Anschlusstor

[Fortsetzung auf der nachsten Sette]







WO 01/20708 A1

I HAND BURDON HERBUR TAKON KAN I SING KAN BANDURAN PRODUKTU BAN ALGUR KAN HAN ALGUR

CZ. DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, FT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Bestimmungsstaaten (regional): ARIPO-Patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), eurasisches Patent (AM., AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI-Patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Verölfentlicht:

- Mit internationalem Recherchenbericht
- Vor Ablauf der für Anderungen der Anspruche gelienden Frist: Veröffentlichung vord wiederholt, falls Änderungen eintreffen

Zur Erklärung der Zweibuc istaben-Codes, und der anderen Abkurzungen wird auf die Erklarungen ("Guidance Notes on Codes and Abbrevianons") an Anfang jeder regulären Ausgabe der PCT-Gazette verwiesen

⁽⁷⁾ liegende Ende mit Masse (10) kontaktiert, und das andere Ende dient als zweites symmetr sches Anschlusstor (9). Von der vierten Leitung (4) ist das neben dem zweiten symmetrischen Anschlusstor (9) liegende Ende mit Masse (11) kontaktiert, und das andere Ende ist mit dem das unsymmetrisch Anschlutor (7) bildenden Ende der zweiten Leitung (2) verbunden.

PTO/SB/01 (6-95) Approved for use through 9/30/98 OMB 0651-0032

									_
Type a	plus	sian	(+	١	inside	this	box	-	ł
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			•	•				- 1	4

0010/PTO Rev. 6/95 U.S. Department of Commerce Patent and Trademark Office

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION

Declaration OR Submitted with Initial Filing

	•							
Z	Declaration Submitted afte Initial Filing							

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE							
Attorney Docket Number	P/63010						
First Named Inventor	GILL, Hardial						
COMPLE	TE IF KNOWN						
Application Number	10/088, 365						
Filing Date	March 14, 2002						
Group Art Unit							
Examiner Name							

As a below named inventor	r, I hereby declare that:				> .							
My residence, post office address, and citizenship are as stated below next to my name.												
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:												
BALUN												
··	(Title of the Invention)											
the specification of which is attached hereto OR was filed on (MM/DD/YYYY) March 14, 2002 as United States Application Number or PCT International												
Application Number	0/088,365 and was am	nended on (MM/DD/YYYY	0		(if applicable).							
I hereby state that I have re-	viewed and understand the contents of the	ne above identified specifi	ication, including	the claims, as amen	اــا eded by any							
amendment specifically refe	erred to above.	·		,	,							
I acknowledge the duty to di	isclose Information which is material to pa	itentability as defined in T	fitte 37 Code of F	Federal Regulations,	§1.58.							
certificate, or §365 (a) of any below and have also identified	benefits under Title 35, United States Cor PCT international application which design d below, by checking the box, any foreign e before that of the application on which p	gnated at least one country application for patent or	try other than the	United States of Am	nerica, listed							
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy	y Attached?							
19943955.9	Germany	September 14	3000	;								
PCT/1B20/01366	T/1800/01366 /NTERNATIONAL Sept. 12, 2000 0 0											
Additional foreign application	on numbers are listed on a supplemental	<u> </u>										
I hereby claim the benefit und	der Title 35, United States Code ^S 119(e) o	of any United States prov										
Application Number(s	Filing Date (MM/	DDMYY)	applica are liste suppler	nal provisional ation numbers ed on a mental priority attached hereto.								
	l l											

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Type a plus sign (+) inside this box → +

Type a pr	us agii (+) liiside ulis co	^~ <u>~</u>)										
DECLARATION							Page 2						
designating pnor United acknowledge	im the benefit under Title 35 the United States of Americ I States or PCT International pe the duty to disclose informational aliable between the filing date	a, listed be application ation which	elow and n in the ch is ma	d, insofi manne iterial to	er as tr r provid patent	ne subject ded by the tability as	matte first p define	er of each of paragraph and in Title (of the claim of Title 35, 37, Code of	s of this ap United Sta Federal Re	plication interpleted in the control of the control	is not dis \$112, I \$ \$1.56 v	closed in the
U.S. P	Parent Imber			Parent Filing Date (MM/DD/YYYY)			P		Patent applica	ent Number			
													7
As a named	nal U.S. or PCT international inventor, I hereby appoint the	e following										siness in	the Patent
and Tradem	ark Office connected therew	th:								Customer	or label		
OR List at	omey(s) and/or agent(s) nai:	ne and reg	istration	n numbe	er belo	W.				Nullion		<u> </u>	
	Name			Regist Num	ļ			Name			F	legistration Number	
David B. Kirschstein, Esq. Alan Israel, Esq. Martin W. Schiffmiller, Esq.				17,244 27,564 30,421									
Additio	onal attomey(s) and/or ag	jent(s) na	amed o	n a su	pplem	ental sh	eet a	ttached h	ereto.				
Please dire	ct all correspondence to:	Cust Num	iber o	r label					OR		in corres dress be		>
Name	KIRSCHSTEIN, O		GER,	, ISR∠	AEL	& SCI	<u>HFI</u>	MILL	ER, P.C				
Address Address													
City	New York						Stat	e Nev	v York		ZIP	0017-	6105
Country	United States			hone		212) 69					212) 9		
be true; and imprisonme:	clare that all statements made further that these statement at, or both, under Section 100 on or any patent Issued them	s were ma of Title	de with	the kno	wieda	e that will	ul fais	se stateme	ints and the	like so mad	de ane ou	nishahia	by fine or
	Sole or First Invento	or:				_ 🗆	~		s been fil	ed for this	unsigne	d inver	tor
Given Name	<u> Hardial</u>			Middle Initial		Family Name		GILL				Suffix e.g. Jr.	
inventor's X Hardial Ail			G	u		•				Date	3	APA	
		· •		State			1				<u> </u>	200)
Residence: City Backnang						Country	Ge	ermany	DE	EX_	Ctttz	enship	British
Post Office	Address E11y-Heu	ss-Kna	app-l	Weg :	38/3	3, 715	22	Backn	ang, (Germany	y		
Post Office	Address		-										
City Ge	ermany	State		Zlp	71.	522		Country	GErn	nany			plicant thority

Additional inventors are being named on supplemental sheet(s) attached hereto

